

UNITY AGENT QUICK USER GUIDE

CONTENTS

Ir	nitial Setup
1.1	Call Center Login Details 4
U	nity Agent Interface Overview
r	Aain Interface Elements
3.1	ACD State Buttons
3.2	Call Control
3.3	Active Call Window 6
3.4	Contacts [Busy Lamp Field]
3.5	Call Logs 6
3.6	Abandoned Calls
3.7	Voicemail
С	all Center Agent Functionality
4.1	Changing ACD State
4.1.1	Only Show One ACD Button7
4.1.2	Assigning Unavailable Codes
4.1.3	Force Disposition Code
4.2	Using Personal Wallboard 8
4.2.1	Configuring Statistics Columns in Personal Wallboard9
4.2.2	Customizing Statistics Label9
4.2.3	Configuring Alert Thresholds in Personal Wallboard9
4.3	Joining & Leaving Queues
4.4	Standard Escalation
4.5	Emergency Escalation
4.6	Escalation via Active Call Window11
4.7	Personal Statistical Report 11
	1.1 3.1 3.2 3.3 3.4 3.5 3.6 3.7 C 4.1 4.1.1 4.1.2 4.1.3 4.2 4.2.1 4.2.2 4.2.3 4.3 4.4 4.5 4.6

5	Ca	all Control	11
	5.1	Making a Call 1	L2
	5.1.1	Using the Dial Window 1	12
	5.1.2	Using the Contacts Panel 1	12
	5.2	Answer a Call 1	12
	5.3	End a Call 1	L2
	5.3.1	Redial 1	12
	5.4	Send Call to Voicemail 1	12
	5.5.1	Announced Transfer 1	13
	5.5.1.1	Warm Transfer 1	13
	5.5.2	Blind Transfer	L3
	5.5.2.1	Using Contacts Panel Drag and Drop 1	13
	5.5.2.2	Using Transfer Button 1	13
	5.5.2.3	Using Right Click 1	14
	5.6	Call Hold/Retrieve 1	14
	5.6.1	Placing a Call on Hold1	14
	5.6.2	Retrieving a Held Call1	14
	5.7	Conference Calling 1	14
	5.8	Starting a Conference Call 1	14
	5.9	Call Recording 1	15
6	A	ctive Call Window	٤5
	6.1	Window Layout	٤5
	6.2	Calls In Queue	٤5
7	D	prag and Drop	16
8	Co	ontacts Panel [Busy Lamp Field]	16
	8.1	Contact Panel Display Options 1	16
	8.1.1	Details View 1	16
	8.1.2	List View 1	16
	8.1.3	Small Icon View	٢7
	8.1.4	Tile View 1	L7
	8.2	User Icons 1	17
	8.2.2	Instant Messaging Availability 1	
	8.3	Managing Monitored Users in the Contacts Panel 1	17

	8.4	Park Call on Extension 17
	8.5	Retrieving Parked Calls 18
	8.6	Camp Call on Extension 18
9		Instant Messaging
	9.1	Docking the IM Window
	9.2	Undocking and Redocking IM sessions19
	9.3	Sending an Instant Message19
	9.4	Adding Participants to an Existing IM Session19
	9.5	Logging IM Sessions
1(D	Personal Directory
	10.1	Add New Entry 20
	10.2	Edit Entry 20
	10.3	Remove Entry 21
	10.4	Dialling Directory Entry 21
	10.5	Import Personal Directory 21
	10.6	Export Personal Directory 21
1:	1	Contact Search Directories
12	2	Call Logs
13	3	My Status
	13.1	Call Forward Always 23
	13.2	Remote Office
	13.3	Connect to a Device [Hoteling Guest]24

1 INITIAL SETUP

Standard vs Enterprise Features

Unity Agent is available in Standard and Enterprise variants. The features available are as follows:

Unity Agent

Full call control, directory integration and service configuration [as outlined in the Unity Desktop user guide], plus:

- Agent state [available, unavailable, wrap-up]
- Joining & leaving call centers

 Statistics for all queues that the agent is a member of [the agent's own stats and summary queue stats such as calls in queue]

Unity Agent Enterprise

All Unity Agent features but also including:

- Callback abandoned calls. Call center abandoned call remote numbers can be assigned by Unity Supervisor Enterprise for Unity Agent Enterprise to click-to-dial and marked as Processed. Note: This capability requires the customer to also be running Unity Wallboard and Unity Supervisor Enterprise
- Unity Connect API integration with third party database applications

The first time Unity is started you will be prompted to enter the configuration details, as shown below. Unity can then retain the connection and authentication details for later use. The Login ID and Password will be assigned from your Service Provider.

Broadworks Login Details	
Login ID	
Password	
Remember my login ID	
Remember my password	

Next you will be prompted for the server address for your Service Provider. If this field is already populated do not change it. In most cases you can leave the Server Port as 2208 Leave the Unity Server Connection Details as those prefilled.

Broadworks Server Connection Details						
Server address						
Server port						
2208						
Unity Server Connection Details						
Unity Server Connection Details Server address:						
•						
Server address:						
Server address: im.unityclient.com						

Restart Unity Agent to begin.


1.1 Call Center Login Details

Once Unity has been restarted it will connect to the host BroadWorks system and populate all the Call Center Instance IDs for the call centers that the agent is a member of as shown below.

U Services & Settings			\times
Services Settings			
Appearance Skin Contact Search Contact Display Current Calls	^	Specify contact center authentication details. All login ids and passwords are case sensitive and each login id must include the domain.	
Computer/Phone Integration Clipboard Integration Dialling Rule Custom Directory Integration		Default password	
Configuration		Contact Center Login Details	
Outlook Integration Outlook Integration Orwser Integration Okto Dial Okto Dial		✓ Bolts Sales ✓ Kakapo Systems ✓ Nuts Sales	
Proxy Authentication		Alert me when a contact center login fails	
Contact Centers	~		
		X Cancel	

2 UNITY AGENT INTERFACE OVERVIEW

Unity is split into six functional areas; ACD Buttons, Call Control buttons, Personal Wallboard, Active Call Window, Contacts [Busy Lamp Field and Instant Messages]. Contacts is a tab that can be toggled to display Call Logs, Abandoned Calls and the Voicemail tab.



3 MAIN INTERFACE ELEMENTS

3.1 ACD State Buttons

ACD State buttons for setting the agent's availability to the call center. When clicking "Unavailable" the user will be presented a list of unavailable codes as configured in BroadWorks.

3.2 Call Control

Call Control buttons provide quick access to common telephone handling commands. Only services that are assigned to the user are displayed.

3.3 Active Call Window

This provides a list of all current calls and their state. For example, Ringing, Active or On Hold. The duration of the call is also displayed.

3.4 Contacts [Busy Lamp Field]

This panel will display up to 30 monitored users, displaying their Do Not Disturb [grey], Available [green], Engaged [red] or Ringing [orange] state as icons.

3.5 Call Logs

Toggling the bottom Contacts panel to Call Logs will display Missed Calls, Received Calls and Dialled Calls.

3.6 Abandoned Calls

In the Agent Enterprise version, a supervisor can assign abandoned calls to the agent for a callback. These will be listed in the "Abandoned Calls" tab. Double click these calls to make the outbound call. If the agent is a member of BroadSoft premium call center using DNIS, then Unity will automatically change the outbound CLI to be that of the DNIS queue. Right click the call to mark as processed and remove from the agent list.

Please note that this functionality requires an instance being setup for the group in Unity Wallboard.

Contacts Call Logs Voicema Aba	ndoned Calls		
Call center All	~		
Call Date	Call Center	DNIS	Number
28/07/2016 11:56:17	Qudo Support		01244838
03/08/2016 11:00:44	Qudo Support		02086807
09/08/2016 16:55:21	Qudo Support		0208588

3.7 Voicemail

Clicking into the Voicemail tab will display a list of voice messages with the most recent at the top.

	Contacts Call Logs (1 Missed)	Voicemail					My status: available in office	е	
Search on name or phone number	Search	٩,					× Č 🗋	⊢	Refresh voicemail list, or save or delete selected items
	Call Date	Name	Phone Number		t	Duration			
	06/04/2016 18:47:05	James Smith	1312			00:00:43			
	03/04/2016 18:43:22	Lewis Marcantonio	1265						
	26/02/2016 10:35:42	INDIA Conference Room	8330		Play				
	26/02/2016 10:34:56	INDIA Conference Room	8330		Save				
	22/02/2016 18:31:43	Hannah Carpenter (Business)	+44797066303	×	Delete				
	15/02/2016 16:10:15	Unavailable	Unavailable						
	15/02/2016 11:39:50	Parvathi M	8322	6	Call				
					Copy number				Options when
					Reset column widths	s			right-clicking
				~	Show gridlines		•		

4 CALL CENTER AGENT FUNCTIONALITY

Inbound ACD calls will display the call center name, as configured in BroadWorks, in the "To" field. The "From" field will display the incoming CallerID [if not withheld] or the name of the caller if that can be matched from the Directory. Answer the call by lifting the IP phone handset, clicking Answer/Release call control button or double clicking the call in the Active Call Window.

File Messaging	Tools H	lelp												
Q Q	6	6		(2)		<u></u>	00	%		\odot				
navailable Available	Wrap-up	Answer	Dial	Transfer	Hold (Conference	Voicemail	Recording	Reports	Settings				
				My St	atistics							0	verall Que	ue
Name	Total Calls	Web Chats Answere	Answere d Calls	Total Talk Time	Missed Calls	Average Talk Time	e Emails Answere d	Web Chats Receive	Total Calls	Calls Answere d	Total Missed Calls	Calls In Queue	Longest Wait Time	A
Kakapo Systems	-	0	-	-	-	-	0	0	-	-	-	-	-	
Bolts Sales	0	0	0	00:00	0	00:00	0	0	0	0	0	1	00:00	(
Nuts Sales	0		0	00:00	0	00:00	-	-	0	0		0	00:00	(
	0	0	0	00:00:00	0	00:00	0	0	0	0	0	1	00:00	(
Activity	From				То				Durat	on	Status			_
Queued														_
Call	Call Natalie Maines (Salesforce Contact) B			Bolts Sa	ales			00:00		Ringing			L	

Hang up the IP phone handset or click Release 📀 to end the call.

4.1 Changing ACD State

Clicking Unavailable, Available or Wrap-Up will change your availability for all queues you are a member of.



4.1.1 Only Show One ACD Button


Unity Agent can optionally be configured in Settings > Incoming Calls > Call Center > Agent > ACD State to only display one ACD button, which will be the currently selected state.

4.1.2 Assigning Unavailable Codes

When the agent selects unavailable, any unavailable codes that have been configured in

BroadWorks will appear.

Unavailable Code assignment with one ACD button:



4.1.3 Force Disposition Code

To assign a Disposition Code the agent right clicks in the Active Call Window. Unity can force the agent to enter a disposition code by setting their ACD state post-call to Wrap-Up ACD state.

rvices Settings		
Incoming Calls Anonymous Call Rejection Call Forward Always Call Forward Busy Call Forward No Answer	Configure call center agent settings such as ACD state.	
🖻 Call Center	Startup & desktop unlocked ACD state	
ACD State	Not Set 🗸	
Call Center Monitoring	Post call ACD state	
Statistics Columns	Not Set 🗸	
Threshold Alerts	Desktop locked ACD state	
Reporting	Not Set 🗸	
- Abandoned Calls	Wrap-up duration (sec)	
- Available: In Office		
- Available: Out Of Office Busy	Force me to assign a disposition code	
Unavailable	for 20 seconds	
- Do Not Disturb		
 External Calling Line ID Delivery Internal Calling Line ID Delivery 	Prevent me from manually changing my ACD state when or	h a call center call.
Simultaneous Ring	Only show the current ACD state button	
Outgoing Calls	Activate sign-out ACD state when Unity is closing.	
Calling Line ID Delivery Blocking	When displaying ACD state	
- Broadworks Anywhere	Show duration ~	
Call Transfer		
- Call Park Retrieve Call Recording		
- Call Waiting		

4.2 Using Personal Wallboard

The Personal Wallboard will show current performance metrics for the call centers the agent is assigned to. The stats are broken down by "My Statistics" which shows the agent's individual performance and "Overall Queue Statistics" which will show the current conditions across the entire call center[s].

4.2.1 Configuring Statistics Columns in Personal Wallboard

The statistics shown in "My Statistics" and "Overall Queue Statistics" panels of the Personal Wallboard are configurable in Settings > Services > Call Center > Statistics > Columns.

PD/CRS Cottings	
Services Settings Fincoming Cals Anonymous Cal Rejection Cal Forward Always Cal Forward No Answer Cal Forwar	Specify which columns should be displayed in the personal wallboard. Threshold values can also be set for many columns Agent Columns Contact Center Columns Total Cals Web Chats Answered Answered Cals Total Tak Tme Mesed Cals Average Tak Tme Emails Answered Web Chats Received
- Available: Out Of Office - Busy - Unavailable - Do Not Disturb - Do Not Disturb - External Caling Line ID Delivery - Internal Caling Line ID Delivery - Simultaneous Ring Outgoing Calis Caling Line ID Delivery Blocking	Web Chats Received
Broadworks Anywhere Broadworks Anywhere Cal Transfer Cal Transfer Cal Park Retrieve Cal Recording Cal Waiting Flexble Seating Guest Hoteling Guest Remote Office Shared Cal Apoparance V	↓ ↑ - +

4.2.2 Customizing Statistics Label

Double click any statistic as displayed in the list above. From the below field you are able to customize the statistic label as required.

Statistic to display NumberOfCallsAbandoned								
Column heading								
Abandoned								
Set threshold alert values								
✓ Highlight non-zero values								
Increasing th	resholds (o	alls)						
Green: >=	1							
Yellow: >=	2							
Red: >=	5							
Black: >=	10							

4.2.3 Configuring Alert Thresholds in Personal Wallboard

Double click any Statistic in Settings > Services > Call center > Statistics > Columns and tick "Set threshold alert values". This will display a table where corresponding values can be configured that will progressively change the statistic background colour greed, yellow, red and black.

Services & Settings						-2
Services Settings						
Incoming Calls Anonymous Call Rejection Call Forward Always Call Forward Busy Call Forward No Answer	•	Specify which columns should be displayed in also be set for many columns	the personal wallb	oard. Th	reshold v	alues can
Call Center Agent		Statistic to display				
ACD State		Statistic to display				
		Column heading				
Reporting		Abandoned				
Abandoned Calls						
Comm Pilot Express	=	Set threshold alert values				
- Available: In Office Available: Out Of Office		Call Center				
Busy		All	5	10	15	20
Unavailable		Bolts Sales	1	2	5	10
Do Not Disturb		Nuts Sales				
- External Calling Line ID Delivery						
- Internal Calling Line ID Delivery						
Simultaneous Ring						
Outgoing Calls Calling Line ID Delivery Blocking						
- Call Control						
Broadworks Anywhere						
Broadworks Mobility						
Call Transfer						
Call Park Retrieve						
Call Recording						
- Call Waiting	*					

Double click an entry in the list to set overall threshold values or those for a specific call center.

Calls In Queue	Total Calls	Calls Answered	Total Missed Calls	Average Talk Time	Missed %	Busy Overflows
0	0	0	0	00:00	0.00	0
0	2	2	0	01:31	0.00	0
0	35	33	2	02:58	5.71	0
0	6	6	0	02:25	0.00	0
0	43	41	2	01:43	1.43	0

4.3 Joining & Leaving Queues

Right click any queue in the Personal Wallboard to toggle between Join and Leave queue. Queues that you are joined to have a green icon next to them. This is only available if the Agent is allowed to join or leave a call center queue.

4.4 Standard Escalation

Standard escalation is used when the agent needs to be given information or instruction from the supervisor without conferencing in the remote party. Typically, the agent will release the call to the supervisor and replay the information to the remote party.

4.5 Emergency Escalation

Emergency escalation is used to immediately conference a supervisor into the call with the remote party, therefore it relies on either the 3-Way or N-Way Calling user service being assigned to the agent. When performing an emergency escalation, Unity will place any active calls on hold then dial the selected supervisor, or the first supervisor that is available.

4.6 Escalation via Active Call Window

To perform escalation, the agent right-clicks the call in the active call window, then either chooses the supervisor to escalate the call to:

From		То	Duration	n	Status		Notes
Natalie Maines	(8	Assign call to account code	•		Active - N	Not recording	
	+	Add number to personal directory					
	-	Add call note					
		Show CRM contact					
		Add CRM call log entry					
Contacts Call Log	s	Escalate to first supervisor Instant conference/emergency escalate to first					🥑 My status: availab
Search		Supervisors	a •	Office L LA office Amy Earl	Lon	udon Office New	v York Office
Name		Assign disposition code	•	Chris Tutt	•	Call/escalate	
		Reset column widths		Dashboard User	•	Instant conferer	nce/emergency escalate
	~	Show gridlines		Conference Phone Ed	:	😍 Transfer call to e	extension
				Gopikrishnan V	,	😐 Instant message	2
				lain Sin	•		
				Sally Jones	•		
				Sebin Joseph	•		
				Steve Tutt	•		
				Steve Wardle	•		

Or escalates the call to the first available supervisor.

From		To Relies	
Natalie Maines (Salesfo		Assign call to account code	۲
	+	Add number to personal directory	
Contacts Call Logs Voice	en.	Show CRM contact Add CRM call log entry	
Search	-	Escalate to first supervisor	
		Instant conference/emergency escalate to first supervisor	
Name		Supervisors	F
		Assign disposition code	F
		Reset column widths	
	~	Show gridlines	

4.7 Personal Statistical Report

To access the reports, click the Reports button (I) or select Tools > Call Centers > Report Viewer from the menu. Specify the reporting period, click Tools > Call Centre > Report Viewer.

5 CALL CONTROL

All calls are managed through the call control buttons at the top of the application. These buttons will change depending on the state of the selected call, or the only call if there is only one call in

5.1 Making a Call

5.1.1 Using the Dial Window

Click the Dial button ⁽ⁱⁱ⁾ to bring up the Dial dialogue box, as shown below. Using the computer keypad enter the desired number and press Enter or click OK to make the call.

5.1.2 Using the Contacts Panel

Double click a user icon or right click and select "Call extension"

Nar	ne			
	Alasta	C	Call extension	
0	Amy E Chris		View user details	
0	Cindy	+	Add to contact group	•
0	Colin David	×	Remove from contact group	+

5.2 Answer a Call


When Unity displays an inbound call, click the Answer icon \bigcirc or double click the call in the Active Call Window to answer the call.

5.3 End a Call

Click the Release button ⁽²⁾ to end the currently selected call. If there are multiple calls in the Active Call Window, make sure you select the right call before clicking Release.

5.3.1 Redial

You can also right-click the Dial button to see a list of the last 10 dialled numbers. Simply click on an entry to dial the party, as shown below.



5.4 Send Call to Voicemail

To send an inbound caller directly to your voicemail click the Voicemail button

5.5.1 Announced Transfer

Receive and answer an inbound call. Make a new call to the desired destination extension or number as described Make a Call above. This will automatically place the first caller on Hold and

will open a new call in the Active Call Window. Once the called party answers, click Transfer and select the context menu option to transfer both calling parties together.

		Tra	nsfer 034560406	26 🕨	to 01268508018		
		Tra	nsfer 012685080	18 🕨	to number	-	
		C Trai	nsfer calls toget	her Totar Taik	Average Talk		
Name	Total Calls	Calls	Missed Calls	Time	Time	Total Calls	
Nuts Sales	0	0	0	00:00:00	00:00	0	
Bolts Sales	4	4	0	00:01:09	00:18	4	
	4	4	0	00:01:09	00:09	4	
From			То		Du	ration	
Jenna Wimshurst			0345604	0626	00:19		
Jenna Wim	shurst		0126850	3018	00	05	

5.5.1.1 Warm Transfer

Unity Agent allows you to warm transfer a call by right clicking the user you want to transfer the call to and selecting "warm transfer" from the context menu. This will then put the original caller on hold and dial the selected number. When ready, click the transfer button in the call center control options panel and the two calls will be transferred.

5.5.2 Blind Transfer

5.5.2.1 Using Contacts Panel Drag and Drop

Unity Agent can be configured to automatically blind transfer a call by dragging the call from the Active Call Window and dropping it on a user icon or number icon in the Contacts panel, or dropping it onto a call center queue [if agent is configured as an agent with call center queues].

5.5.2.2 Using Transfer Button

Once on a call click the Transfer call control button ^(C). In the Transfer window enter the destination and click OK.

•		(2)		2	00	%	\odot
lelease	Dial	Transfer	Hold	Conference	Voicemail	Recording	Settings
From						То	
Jenn	a Wimsł	nurst				Sasha 0	Gorb (+447976493816
	-	Transfer				×	
		Numbe	er				
			×	Cancel	🗸 ОК		

5.5.2.3 Using Right Click

While on an active call right click the recipient icon or number in the Contacts panel or Search. Select "Transfer call to extension" to blind transfer the call.

Nar	ne	Phone			
0	Ala:	Call extension			
0	Chr 义	Transfer call to extension			
0	Cin	Warm transfer call to extension			
0	Col Dav	Transfer to voicemail			
Ö	Dea	Park call on extension			
0	Ed	View user details			
0	Lee				

5.6 Call Hold/Retrieve

The Hold/Retrieve \bigcirc function toggles depending on the status of the currently selected call. Hold is only available for an active call while Retrieve is only a valid option for a call currently on Hold.

5.6.1 Placing a Call on Hold

To place a current active call on Hold, press the red Hold button . The call status will now show as on hold in the Active Call Window and there will be an On Hold icon alongside the call.

5.6.2 Retrieving a Held Call

Click the held call in the Active Call Window to select it. Click the Retrieve button to take the call off hold, you can also double click the call to retrieve it.

5.7 Conference Calling


A conference call can be established with any combination of internal and external numbers. The total number of parties that can be supported is determined by service assignment. The Three-Way Calling user service supports conference calls with two other parties only while the N-Way Calling user service supports conference calls with more participants.

5.8 Starting a Conference Call

You can select two calls in the Active Call Window and click this button to quickly conference everyone together. Once in a conference you can easily select other calls and add them to it, but you must start with a conference with two other calls first. You can use the hold and retrieve buttons to hold the whole conference, and use the release button to drop a caller out of the conference. Please note this feature depends on service assignment so may not always be available.

5.9 Call Recording

You can use this button to manage call recording in two ways. You can right-click on the button to select how to record calls.



Or left click to start, stop, pause or resume recording the selected call. The button will change to show if the selected call is currently being recorded, or if recording is paused or stopped. Depending on the call recording option selected you may see a menu when clicking this button, as below.

6 ACTIVE CALL WINDOW

The Active Call Window gives visual representation of the status of all calls the user receives or is currently managing.

6.1 Window Layout

	From	То	Duration	Status
0	Jenna Wimshurst	03456040626	00:18	On hold
	Jenna Wimshurst	Sasha Gorb	00:00	Ringing

From - This field will display the incoming CallerID or the name

To – This field displays the name of the user, hunt group or call center

Duration – This displays the total time elapsed since the call was first answered.

Status - This shows the Ringing/Active, on On Hold and recording status of each call.

6.2 Calls In Queue

Agents can optionally see all calls in queue for the Call Centers they are joined to, as shown below. This is configured in Settings>Agent>Display queued call center calls in the list.

From	То	Duration	Status
Hot Desk 3 - 9103	Bolts Sales	01:48	Queued at position 1
Charlotte Quartly	Bolts Sales	01:25	Queued at position 2

7 DRAG AND DROP

Drag & drop is an important feature of Unity, it means that in order to perform an action on a call you can simply drag it on top of something. For example if you want to blind transfer a call to a user then this can be done by simply searching for that user, then dragging the call and dropping it on that user in the contacts list. You may see some options here depending on what was configured in settings, or Unity can automatically blind transfer the call. Similarly if you want to perform an announced transfer then simple drag one call on top of the other in the Active Call Window, the calls will be transferred together and be removed from the list.


You can also drag other objects into this list to make a call, for example drag a user from the contacts list into the Active Call Window to call that internal user's extension or external contact's number.

8 CONTACTS PANEL [BUSY LAMP FIELD]

The Contacts tab gives a visual indication of the status of users [within the group/enterprise] that are currently being monitoring. A maximum of 30 users can be displayed. Double clicking a monitored user will call them and right clicking will bring up a dynamic options menu.

8.1 Contact Panel Display Options

There are three different views available, as outlined below. Right-click anywhere in the Contacts panel and select Appearance list to change the view.



8.1.1 Details View

This view provides by far the greatest amount of detail, but requires more space [although the list can be shortened in which case scrollbars will automatically appear]. This is the recommended view for Agents as it shows the ACD state of up to 30 monitored Agents.

8.1.2 List View

This option will display all users in a list.

8.1.3 Small Icon View

This view combines a simplified look and space reduction.

8.1.4 Tile View

This view is similar to Icon view but uses more white space to provide a cleaner look.

8.2 User Icons

There are four main user icons states shown in the Contacts panel, regardless of the view chosen.


0	Available	The monitored user extension is on hook
2	Ringing	The monitored user extension is ringing
8	Engaged	The user is on the phone
•	Do Not Disturb	The user has selected DND or Unavailable profile

8.2.2 Instant Messaging Availability

Regardless of a user's Available/Ringing/Engaged/DND state, if they currently have any version of Unity open they will be available for instant messaging. This is shown by the blue dot at bottom right of the user icon.

8.3 Managing Monitored Users in the Contacts Panel

The Contacts panel will display 30 users. In the Contacts panel right click anywhere and click "Manage user list". This will allow you to choose which users to display.




8.4 Park Call on Extension

Will park the call on the monitored user's extension park slot.

8.5 Retrieving Parked Calls

Once a call has been parked onto a user's extension, their Unity will display a "P" and a toast pop up window will appear. In order for the user to retrieve the parked call they simply neek k either the "P" or the toast pop up. If the call is not retrieved it will be redirected back to the original user who parked the call.



8.6 Camp Call on Extension

Will camp the call onto the engaged monitored user. When the user goes back on-hook the camped call will be delivered and their phone will start ringing.

9 INSTANT MESSAGING

Instant messages can be sent and received between any Unity app [Reception, Desktop, Agent, or Supervisor]. Messages sent to offline user [those that do not have an instance of Unity open] can be stored and delivered when the recipient next opens Unity.


9.1 Docking the IM Window

Instant Messages can be displayed in the Docked IM Window or as separate dialogue boxes for each individual IM thread. If the docked window is used IMs can be initiated via drag and drop and new IM windows will not pop over other applications.



9.2 Undocking and Redocking IM sessions

You can undock an IM message by clicking the 📥 "Expand conversation to separate window" button. The IM session will now be a standalone window.



9.3 Sending an Instant Message

Send an instant message either by right clicking a user icon in Contacts panel or Search and selecting "Instant Message" from the drop list, or by dragging a user icon into the docked IM panel.

9.4 Adding Participants to an Existing IM Session

When an IM conversation is in the Docked IM panel you can drag a user icon from the Contacts Panel or Search and drop them on the IM window to add them to the conversation.

9.5 Logging IM Sessions


You will find the Instant Messaging and presence logging options in the Settings tab. Here you will be able to configure how IMs are saved, what file type they are (CSV or HTML) and where they are saved.

10 PERSONAL DIRECTORY

Personal Directory – Right click in Contacts

	Personal directory	•	+	Add new entry
٥	Manage user list			Import directory
	Appearance	•		Export directory

Personal Directory – Right click on monitored user



10.1 Add New Entry

Enter the Name and Number and click Ok


Add Personal Directory Entry X						
Name	Derek Lynch					
Phone	07976					
	× Cancel ✓ OK					

If the number specified is already in the Directory the user will be alerted as below.

Unity	×	
1	There is already an entry in your personal directory with this phone number and duplicates are not permitted	
	ОК	

10.2 Edit Entry

Use the Search field in Contacts to locate the entry. You can search by either Name or Number. Right click the Entry and select "Edit".



10.3 Remove Entry

Use the Search field in Contacts to locate the entry. You can search by either Name or Number. Right click the Entry and select "Remove".

Cerek Lynch	ر × +	Call number Add to contact group Remove from contact group Add to default list	•		
		Copy number			
		Personal directory	•		Edit Derek Lynch
	۰	Manage user list		×	Remove Derek Lynch
		Appearance	•	+	Add new entry
					Import directory
					Export directory

10.4 Dialling Directory Entry

Locate the entry either on the Contacts panel or Search. Drag the entry into the Active Call Window or double click to make a call, or right click the entry and click "Call number".

C Derek Lynch			
	C.	Call number	
		Add to contact group	•
	×	Remove from contact group	•
	+	Add to default list	

10.5 Import Personal Directory

Agent will allow the user to import a .csv file of directory entries, provided they are in "name, number" format. Right click in the Contacts panel, select "Personal directory > "Import" and then browse to the location of the csv.

	Personal directory	F	+	Add new entry	٦
٥	Manage user list			Import directory	
	Appearance	F		Export directory	

10.6 Export Personal Directory

To export Personal Directory entries right click in Contacts and select Personal directory > "export". You will be prompted to save the file locally.

	Personal directory	•	+	Add new entry
۵	Manage user list			Import directory
	Appearance	►		Export directory

11 CONTACT SEARCH DIRECTORIES

The Contact Search field combines all BroadWorks and Outlook Contacts directories to create a central search repository. The BroadWorks directories include the Common Phone List [system speed dials], the receptions user's own Personal Directory entries, and the Group Directory which includes all the other users in the group as well as hunt groups, auto attendants and call centers. Unity can also integrate with third party LDAP [including Microsoft Active Directory] and SQL directories.

Cor	tacts Call Logs Voicemail					
s	Search joh					
Na	me	Phone				
C	Camron Johnson (Salesforce Contact)	00180				
5	Glenn Johnstone (Salesforce Contact)	64214				
C.	Johan Bergin (Salesforce Contact)	46850				
6	Johan Klaus (Salesforce Contact)	00313				
S.	Jóhannes Guðmundsson (Salesforce C	00354				
S.	John Cole	01173				
C.	John Daniels (Salesforce Contact)	07956				

Right click in the search box to select a directory, then click the search button to clear it and see the default list of monitored users.

Contacts Call Logs (1 Misse	d) Voicemail		
Search	Communications Limited		Entire directory
Name	Common phone list		Helpdesk
	Personal directory		Sales Team
	Outlook contacts	-	Technical
			ed test
			Kakapo

Search results will display each number for a contact as a separate line. Drag or double click the entry to make a call or right click to select a call action from the context menu.

icons represent external numbers or system resources such as hunt groups for which presence information cannot be displayed.

12 CALL LOGS

The Call Logs tab displays Missed, Received and Dialled Calls with a date and time stamp showing the most recent call at the top. Up to 20 numbers are listed unless the Enhanced Call logs service is assigned to the Agent user in BroadWorks. Calls to the Agent user DID as well as hunt group and call center calls that have reached the Agent user are shown.

Contacts Call Logs Voicemail Abandoned Calls		
Missed calls O Received calls O Dialled calls		
Call Date	Phone Number	Name
11/08/2016 16:01:38	1248	Chris Tutt
11/08/2016 12:37:31	0139:	01392
08/08/2016 16:30:58	0208	02086
07/08/2016 18:34:40	0002	Andrew Smith
07/08/2016 18:34:20	0002	Andrew Smith

Drag or double click an entry to make a call to that number. Call logs can be exported as a csv file, either individually or together, but clicked the Export button.


13 MY STATUS

The "My Status" link provides an indication of the current status of the user as well as quick access to key services that are regularly modified.

📀 My status: available ir	n offic	ce
	Available: in office	
	Available: out of office	
	Busy	
	Θ	Unavailable
	0	None
	•	Do not disturb
	6	Call forward always
	Ģ	Connect to a device
	G→	Remote Office

CommPilot profiles are also used to convey presence information to other users within the group or enterprise.

13.1 Call Forward Always



13.2 Remote Office

			,	
My status: ava	Available: in office			
0	Available: out of office			
0	Busy			
6	Unavailable			
0	None			
•	Do not disturb			
2	Call forward always	۲		
4	Connect to a device	۲		
E	Remote Office	•	<	Activate
			۵	Configure

13.3 Connect to a Device

The user can easily select the device to connect to through the My Status link, as shown below.

Abin Joseph Alastair Charlotte Brown David Hig Demo Agent Two (lain's Kit) Conference Phone Lee Ho	Available: in office Available: out of office Available: out of office Busy Unavailable None Do not disturb Call forward always August 1
Flexible Seating Guest Flex - 9110	Connect to a device
Flexible Seating Guest Flex - 9114	C→ Remote Office →
Flexible Seating Guest Flex - 9115 Flexible Seating Guest Flex - 9116	